

NOTICE OF OPEN MEETING OF THE
SOUTH CENTRAL TEXAS REGIONAL
WATER PLANNING GROUP

TAKE NOTICE that a meeting of the South Central Texas Regional Water Planning Group (SCTRWPG) as established by the Texas Water Development Board will be held on Thursday, November 4, 2021 at 9:30 AM both in person and virtually. The in person meeting will be held at the San Antonio Water System s Customer Service Building, Room CR-145, 2899 S w y 281 North, San Antonio, TX 78212. You can attend virtually on GotoMeeting at <https://global.gotomeeting.com/join/213542565> . You may also dial into the meeting on your phone at +1 (872) 240-3412, access code: 213-542-565. The planning group members will consider and may take action regarding:

1. (9:30 AM) Roll-Call
2. Public Comment
3. Approval of the Minutes from the Previous Meeting of the South Central Texas Regional Water Planning Group (SCTRWPG)
4. Status Reports and Communications by Texas Water Development Board
5. Status Reports and Communications related to Regional Water Planning including reports by the Chair, regional liaisons, groundwater management area representatives, and members of the planning group
6. Discussion and Nomination of one Planning Group Member and one alternate to serve on the next Interregional Planning Council
7. Discussion and Appropriate Action Regarding Recommendation by the Executive Committee on Vacancies of SCTRWPG Voting Members
8. Discussion and Appropriate Action Regarding the Nomination of John Byrum to serve as Region J Liaison
9. Discussion and Selection of the SCTRWPG's 2022 Meeting Dates
10. Schedule and potential Agenda Items for the Next Meeting of the SCTRWPG
11. Public Comment
12. Adjourn

Comments and submissions may be submitted through email to khayes@sariverauthority.org. Any written documentation can be sent to Tim Andrus, Chair, South Central Texas Regional Water Planning Group, c/o San Antonio River Authority, Attn: Kendall Hayes, 201 W. Sheridan Street, San Antonio, TX 78204. Please direct any questions to Kendall Hayes at (210) 302-3641.

